\*



	Identification of the substance/mixture and of the company/	
undertaking		
• 1.1 Product id	lentifier	
• Product Code:	TEB0104 - Brown Product Name: Teachables Permanent Marker Bullet Assorted PK	12
• Article number		
<ul> <li>Registration n</li> </ul>		
-	ts of this ink have been pre-registered according to 1907/2006/EC (REACH) identified uses of the substance or mixture and uses advised against	
	such applications are identified	
• Application of	<b>f the substance / the mixture</b> alcohol based permanent marking ink	
$\cdot$ 1.3 Details of	f the supplier of the safety data sheet	
· Manufacturer/S		
Modern Teachin Level 1, 122-1	19 Alds 126 Old Pittwater Rd, Brookvale, NSW	
	Frenchs Forest, NSW 2086, Australia	
Phone: 1800 25		
Fax: 1800 151 Web: teaching.		
web. ceaening.		
CECTION 2.	Hazards identification	
SECTION 2:	Hazaros identification	
· 2.1 Classifica	ation of the substance or mixture	
	n according to Regulation (EC) No 1272/2008	
$\wedge$		
CHS02	2 flame	
<u></u>		
$\mathbf{v}$		
Flam. Liq. 2	H225 Highly flammable liquid and vapour.	
~		
GHS05	5 corrosion	
<b>ZZ</b>		
Eye Dam. 1	H318 Causes serious eye damage.	
Aquatic Chroni	ic 3 H412 Harmful to aquatic life with long lasting effects.	
. 2 2 Tabal alam		
' Z.Z Label elem	nents	
· 2.2 Label elem · Labelling acco		
· Labelling acco	ments ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
· Labelling acco	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
• <b>Labelling acco</b> The product is	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
• <b>Labelling acco</b> The product is	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
• <b>Labelling acco</b> The product is	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
• <b>Labelling acco</b> The product is	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation.	
• <b>Labelling acco</b> The product is	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams	
Labelling acco The product is Hazard pictogr GHS02 GHS	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>Signal word Da</li> </ul>	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>Signal word Da</li> <li>Hazard-determi</li> </ul>	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 305 anger ining components of labelling:	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel</li> </ul>	ording to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 305 anger ining components of labelling: 110w 37	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>Signal word Da</li> <li>Hazard-determi</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 305 anger ining components of labelling: 11ow 37 d 1</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger ining components of labelling: llow 37 d 1 snts lammable liquid and vapour.</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yell C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 005 anger ining components of labelling: llow 37 d 1 ents lammable liquid and vapour. erious eye damage.</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger ining components of labelling: llow 37 d 1 ents lammable liquid and vapour. erious eye damage. to aquatic life with long lasting effects.</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> <li>Precautionary</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 005 005 005 005 005 005 005 005 00</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger ining components of labelling: llow 37 d 1 ents lammable liquid and vapour. erious eye damage. to aquatic life with long lasting effects.</pre>	
<ul> <li>Labelling acco The product is Hazard pictogr</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> <li>Precautionary P273 P240</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 005 005 005 005 005 005 00 00 00 00</pre>	in wit
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS0</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yell</li> <li>C.I. Basic Yell</li> <li>C.I. Basic Red</li> <li>Hazard stateme</li> <li>H225 Highly fl</li> <li>H318 Causes se</li> <li>H412 Harmful t</li> <li>Precautionary</li> <li>P273</li> <li>P240</li> <li>P303+P361+P353</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 005 005 005 005 005 005 00 00 00 00</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS0</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yell</li> <li>C.I. Basic Yell</li> <li>C.I. Basic Red</li> <li>Hazard stateme</li> <li>H225 Highly fl</li> <li>H318 Causes se</li> <li>H412 Harmful t</li> <li>Precautionary</li> <li>P273</li> <li>P240</li> <li>P303+P361+P353</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams y y y y y y y y y y y y y y y y y y y</pre>	
<ul> <li>Labelling acco The product is Hazard pictogr</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> <li>Precautionary P273 P240 P303+P351+P338</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger ining components of labelling: llow 37 d 1 ents lammable liquid and vapour. erious eye damage. to aquatic life with long lasting effects. statements Avoid release to the environment. Ground/bond container and receiving equipment. 3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse ski water/shower. 8 IF FIN SYES: Rinse cautiously with water for several minutes. Remove contact len if present and easy to do. Continue rinsing.</pre>	
<ul> <li>Labelling acco The product is</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS0</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yell</li> <li>C.I. Basic Yell</li> <li>C.I. Basic Red</li> <li>Hazard stateme</li> <li>H225 Highly fl</li> <li>H318 Causes se</li> <li>H412 Harmful t</li> <li>Precautionary</li> <li>P273</li> <li>P240</li> <li>P303+P361+P353</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 005 005 005 005 005 005 005 005 00</pre>	
<ul> <li>Labelling acco The product is Hazard pictogr</li> <li>Hazard pictogr</li> <li>GHS02</li> <li>GHS02</li> <li>GHS</li> <li>Signal word Da</li> <li>Hazard-determi C.I. Basic Yel C.I. Basic Yel C.I. Basic Red</li> <li>Hazard stateme H225 Highly fl H318 Causes se H412 Harmful t</li> <li>Precautionary P273 P240 P303+P361+P353</li> <li>P305+P351+P338 P310</li> </ul>	<pre>prding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. rams 005 anger ining components of labelling: llow 37 d 1 ents lammable liquid and vapour. erious eye damage. to aquatic life with long lasting effects. statements Avoid release to the environment. Ground/bond container and receiving equipment. 3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse ski water/shower. 8 IF FIN SYES: Rinse cautiously with water for several minutes. Remove contact len if present and easy to do. Continue rinsing.</pre>	ises,



(Contd. of page 1)

Product Code: TEB0104

Product Name: Teachables Permanent Marker Bullet Assorted PK12

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

- Mixture of the following substances, containing non-hazardous substances and colouring agents.
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5	ethanol	50-100%		
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319			
CAS: 107-98-2	1-methoxy-2-propanol	10-25%		
EINECS: 203-539-1	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336			
CAS: 6358-36-7	C.I. Basic Yellow 37	2,5%		
EINECS: 228-770-5	🚸 Eye Dam. 1, H318; 🚸 Aquatic Chronic 2, H411			
CAS: 989-38-8	C.I. Basic Red 1	2,5%		
EINECS: 213-584-9	Eye Dam. 1, H318; Acute Tox. 1, H318; Acute Tox. 4, H302			
· Additional informa	tion: For the wording of the listed risk phrases refer to section 16			

**Additional information:** For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
   4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Wear protective clothing.
6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Not applicable
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat.

EII



Product Code: TEB0104

#### Product Name: Teachables Permanent Marker Bullet Assorted PK12

(Contd. of page 2)

ΕU

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.

	trol parameters
• Ingredi	ents with limit values that require monitoring at the workplace:
107-98-	2 1-methoxy-2-propanol (10-25%)
	Short-term value: 568 mg/m³, 150 ppm
	Long-term value: 375 mg/m³, 100 ppm
	Skin
· Additio	nal information: The lists valid during the making were used as basis.
• 8.2 Exp	posure controls
• Persona	I protective equipment:
	protective and hygienic measures:
	tely remove all soiled and contaminated clothing
	nds before breaks and at the end of work.
	nontact with the eyes. <b>Atory protection:</b>
-	of brief exposure or low pollution use respiratory filter device. In case of intensive or
	exposure use self-contained respiratory protective device.
	ion of hands:
The glo	we material has to be impermeable and resistant to the product/ the substance/ the
prepara	
	missing tests no recommendation to the glove material can be given for the product/ the
	tion/ the chemical mixture.
	on of the glove material on consideration of the penetration times, rates of diffusion and uradation
2	1 of gloves
	ection of the suitable gloves does not only depend on the material, but also on further marks
	ity and varies from manufacturer to manufacturer. As the product is a preparation of several
	nces, the resistance of the glove material can not be calculated in advance and has therefore
to be c	hecked prior to the application.
	tion time of glove material
	ot break trough time has to be found out by the manufacturer of the protective gloves and has
	bserved.
· Eye pro	tection:
	Tightly sealed goggles

## SECTION 9: Physical and chemical properties

$\cdot$ 9.1 Information on basic physical and chemical properties $\cdot$ General Information				
· Appearance:				
Form:	Fluid			
Colour:	According to product specification			
· Odour:	Product specific			
· Odour threshold:	Not determined.			
<ul> <li>Important information on protection of health environment, and on safety.</li> </ul>	and 			
· pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	78 °C			
		(Contd. on page 4)		



Product Code: TEB0104

## Product Name: Teachables Permanent Marker Bullet Assorted PK12

	(Contd. of page		
· Flash point:	13 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	287 °C		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not selfigniting.		
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits: Lower: Upper:	1,7 Vol % 15,0 Vol %		
· Vapour pressure at 20 °C:	59 hPa		
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0,87 g/cm³ Not determined. Not determined. Not determined.		
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.		
· Partition coefficient (n-octanol/water):	Not determined.		
<sup>·</sup> Viscosity: Dynamic at 20 °C: Kinematic:	4,5 mPas Not determined.		
• Solvent content: Organic solvents:	82,8 %		
Solids content: • 9.2 Other information	17,0 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.		

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relevant for classification:

6358-36-7 C.I. Basic Yellow 37

Oral LD50 3160 mg/kg (rat)

- 989-38-8 C.I. Basic Red 1
- Oral LD50 250 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

EU

Primary irritant effect:



Product Code: TEB0104

#### Product Name: Teachables Permanent Marker Bullet Assorted PK12

(Contd. of page 4)

## SECTION 12: Ecological information

#### • 12.1 Toxicity

• Aquatic toxicity:

## 989-38-8 C.I. Basic Red 1

- EC50 / 48h 0,1-0,5 mg/l (Daphnie)
- LC50 / 96h 1-5 mg/l (Fish)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system. • European waste catalogue

Euro	pean	was	LE	ca	Lai	υg	u

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS,
	VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish

08 01 13\* sludges from paint or varnish containing organic solvents or other dangerous substances

Uncleaned packaging:

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name	
· ADR	1060
	1263 PAINT
· IMDG, IATA	PAINT
· 14.3 Transport hazard class(es)	
· ADR	
<b>*</b>	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
	(Contd. on page 6)

unca. on page 6)

EU -

Safety data sheet according to 1907/2006/EC, Article 31



EU

**Product Code: TEB0104** 

#### Product Name: Teachables Permanent Marker Bullet Assorted PK12

	(Contd. of page
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
• 14.7 Transport in bulk according to Annex I	I of
Marpol and the IBC Code	Not applicable.
• Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, II

## SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:

#### · Technical instructions (air):

Class	Share in	웅
NK	50-100	

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Abbreviations and acronyms: RD: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 \* Data compared to the previous version altered. \* Data compared to the previous version altered.